Author index

ABRAHAMSOHN, I.D.A. *see* GALVÃO DA SILVA, A.P.
ADAMS, C.L., MACLEOD, M.K.L., JAMES MILNER-WHITE, ROBERT AITKEN, E., GARSIDE, P. & STOTT, D. I. Complete analysis of the B-cell response to a protein antigen, from *in vivo* germinal centre formation to 3-D modelling of affinity maturation, 274
AGRAWAL, A., CHA-MOLSTAD, H., SAMOLS, D. & KUSHNER, I. Overexpressed nuclear factor-κB can participate in endogenous C-reactive protein induction, and enhances the effects of C/EBPβ and signal transducer and activator of transcription-3, 539
AITKEN, R. *see* ADAMS, C.L.
AKAHANE, Y. *see* IKEDA, M.
AKDIS, C.A. *see* TRAUTMANN, A.
AL-HARTHI, L. *see* FLEURIDOR, R.
ALEXANDER, J. *see* POLLOCK, K.G.J.
ALVORD, G. *see* WINTER, H.
AMAKAWA, R. *see* TAJIMA, K.
ARAKI, T. *see* ICHIKAWA, M.
ARANAMI, T. *see* KIKUCHI, K.
ARIMURA, A. *see* YOSHIOKA, T.
ARREDOUANI, M., MATTHIJS, P., VAN HOEYVELD, E., KASRAN, A., BAUMANN, H., CEUPPENS, J.L. & STEVENS, E. Haptoglobin directly affects T cells and suppresses T helper cell type 2 cytokine release, 144
ASAKAWA, M. *see* YOSHIOKA, T.

BÖTTCHER, I. *see* BELLINGHAUSEN, I.
BALAZUC, A.-M. *see* LAGRANDERIE, M.
BASHY, J. *see* WINTER, H.
BAUMANN, H. *see* ARREDOUANI, M.
BAXTER, A.G. *see* CROWE, N.Y.
BAXTER, A.G. *see* HAWKE, C.G.
BEDFORD, K.J. *see* FOSTER, S.
BELLINGHAUSEN, I., BRAND, P., BÖTTCHER, I., KLOSTERMANN, B., KNOP, J. & SALOGA, J. Production of interleukin-13 by human dendritic cells after stimulation with protein allergens is a key factor for induction of T helper 2 cytokines and is associated with activation of signal transducer and activator of transcription-6, 167
BENEDICT, S.H. *see* KOHLMEIER, J.E.
BERTHIER, R., RIZZITELLI, A., MARTINON-EGO, C., LAHARIE, A.-M., COLLIN, V., CHESNE, S. & MARCHE, P.N. Fibroblasts inhibit the production of interleukin-12p70 by murine dendritic cells, 391
BHASKARAN, M. *see* KAPASI, A.A.
BILSBOROUGH, J., GEORGE, T.C., NORMENT, A. & VINEY, J.L. Mucosal $CD8\alpha^+$ DC, with a plasmacytoid phenotype, induce differentiation and support function of T cells with regulatory properties, 481
BIRMINGHAM, D.J., CHEN, W., LIANG, G., SCHMITT, H.C., GAVIT, K. & NAGARAJA, H.N. A CR1 polymorphism associated with constitutive erythrocyte CR1 levels affects binding to C4b but not C3b, 531
BISWAS, P. *see* FERRERO, E.
BLACKSTOCK, R. Roles for CD40, B7 and major histocompatibility complex in induction of enhanced immunity by cryptococcal polysaccharide-pulsed antigen-presenting cells, 158
BLANCHETTE, J., JARAMILLO, M. & OLIVIER, M. Signalling events involved in interferon-γ-inducible macrophage nitric oxide generation, 513
BLASER, K. *see* TRAUTMANN, A.
BOADLE, R.A. *see* HUYNH, N.T.
BONNET, V. *see* HUDRISIER, D.
BORREBAECK, C.A.K. *see* ELLMARK, P.
BOTTOMLY, K. *see* HULEATT, J.W.
BRÖCKER, E.-B. *see* TRAUTMANN, A.
BRAND, P. *see* BELLINGHAUSEN, I.
BREWER, J.M. *see* POLLOCK, K.G.J.
BUCHAN, G.S. *see* SKINNER, M.A.
BUCHT, A. *see* SVENSSON, L.
BUDDLE, B.M. *see* SKINNER, M.A.
BURCHELL, J.M. *see* CORREA, I.
BURRONE, O.R. *see* MANCARDI, S.
BUTTERFIELD, J.H. *see* SUNDSTRÖM, M.

CALVO, E. *see* MANCARDI, S.
CAMPBELL, C. *see* SANDILANDS, G.P.
CANDELORA-KETTEL, J. *see* CORREA, I.
CARAYANNIOTIS, G. *see* KARRAS, E.
CARLSTEN, H. *see* ERLANDSSON, M.C.
CEUPPENS, J.L. *see* ARREDOUANI, M.
CHA-MOLSTAD, H. *see* AGRAWAL, A.
CHAN, M.A. *see* KOHLMEIER, J.E.
CHANCE, V. *see* NORIMATSU, M.
CHANTAKRU, S. *see* KATHER, A.
CHEADLE, E.J., SELBY, P.J. & JACKSON, A.M. *Mycobacterium bovis* bacillus Calmette–Guérin-infected dendritic cells potently activate autologous T cells via a B7 and interleukin-12-dependent mechanism, 79
CHEN, Z. *see* ZHANG, W.
CHEN, W. *see* BIRMINGHAM, D.J.
CHESNE, S. *see* BERTHIER, R.
CHIASSON, R. *see* RIGGS, J.
CHOI, E.N., CHOI, M.K., PARK, C.-S. & CHUNG, I.Y. A parallel signal-transduction pathway for eotaxin- and interleukin-5-induced eosinophil shape change, 245
CHOI, M.K. *see* CHOI, E.N.
CHUNG, I.Y. *see* CHOI, E.N.
COLECLOUGH, C. *see* SEALY, R.
COLLIN, V. *see* BERTHIER, R.
COLLINS, D.M. *see* SKINNER, M.A.
CONACHER, M. *see* POLLOCK, K.G.J.
COOK, R.S. *see* GADDUM, R.M.
COOKE, A. *see* ZACCONE, P.
CORREA, I., PLUNKETT, T., VLAD, A., MUNGUL, A., CANDELORA-KETTEL, J., BURCHELL, J.M., TAYLOR–PAPADIMITRIOU, J. & FINN, O. J. Form and pattern of MUC1 expression on T cells activated *in vivo* or *in vitro* suggests a function in T-cell migration, 32
COWARD, W.R. *see* FOSTER, S.
CRESSWELL, J. *see* HULEATT, J.W.
CRISPE, I.N. *see* HULEATT, J.W.
CROWE, J.E., JR. *see* ROCK, M.T.
CROWE, N.Y., GODFREY, D.I. & BAXTER, A.G. Natural killer T cells are targets for human immunodeficiency virus infection, 1
CROY, B.A. *see* KATHER, A.

DAI, W.J., WALDVOGEL, A., JUNGI, T., STETTLER, M. & GOTTSTEIN, B. Inducible nitric oxide synthase deficiency in mice increases resistance to chronic infection with *Echinococcus multilocularis*, 238
DARJI, A. *see* ZUR LAGE, S.
DE FARIA, D.R. *see* ROCHA-VIEIRA, E.
DE LISLE, G.W. *see* SKINNER, M.A.
DI ROSA, F. & SANTONI, A. Memory T-cell competition for bone marrow seeding, 296
DOBRINA, A. *see* MANCARDI, S.
DOUGAN, G. *see* NORIMATSU, M.
DUSETTI, N. *see* MANCARDI, S.
DUTRA, W.O. *see* ROCHA-VIEIRA, E.
DYUGOVSKAYA, L., HIRSH, M. & GINSBURG, H. Phenotypic profile and functional characterization of rat lymph node-derived γδ T cells: implication in the immune response to cytomegalovirus, 129

EATON, A.D., XU, D. & GARSIDE, P. Administration of exogenous interleukin-18 and interleukin-12 prevents the induction of oral tolerance, 196
EHLIN-HENRIKSSON, B., GORDON, J. & KLEIN, G. B-lymphocyte subpopulations are equally susceptible to Epstein–Barr virus infection, irrespective of immunoglobulin isotype expression, 427
ELLIS, S.A. *see* GADDUM, R.M.
ELLMARK, P., FUREBRING, C. & BORREBAECK, C.A.K. Pre-assembly of the extracellular domains of CD40 is not necessary for rescue of mouse B cells from anti-immunoglobulin M-induced apoptosis, 452
ERLANDSSON, M.C., JONSSON, C.A., ISLANDER, U., OHLSSON, C. & CARLSTEN, H. Oestrogen receptor specificity in oestradiol-mediated effects on B lymphopoiesis and immunoglobulin production in male mice, 346

FEAU, S. *see* HUDRISIER, D.
FEHÉRVÁRI, Z. *see* ZACCONE, P.
FERRARINI, M. *see* FERRERO, E.
FERREIRA, E. *see* ROCHA-VIEIRA, E.
FERRERO, E., BISWAS, P., VETTORETTO, K., FERRARINI, M., UGUCCIONI, M., PIALI, L., LEONE, B.E., MOSER, B., RUGARLI, C. & PARDI, R. Macrophages exposed to *Mycobacterium tuberculosis* release chemokines able to recruit selected leucocyte subpopulations: focus on γδ cells, 365
FERRIER, R.K. *see* SANDILANDS, G.P.
FFRENCH, R.A. *see* HUYNH, N.T.
FINN, O.J. *see* CORREA, I.
FLEURIDOR, R., WILSON, B., HOU, R., LANDAY, A., KESSLER, H. & AL-HARTHI, L. CD1d-restricted natural killer T cells are potent targets for human immunodeficiency virus infection, 3
FOSTER, R. *see* KATHER, A.
FOSTER, S., BEDFORD, K.J., GOULD, M.E.L., COWARD, W.R. & HEWITT, C.R.A. Respiratory syncytial virus infection and virus-induced inflammation are modified by contaminants of indoor air, 109
FOX, B.A. *see* WINTER, H.
FRANKI, N. *see* KAPASI, A.A.

FUKASAWA, M. *see* TAKAYAMA, E.
FUKUHARA, S. *see* TAJIMA, K.
FUREBRING, C. *see* ELLMARK, P.
FURZE, J.M. *see* GADDUM, R.M.

GADDUM, R.M., COOK, R.S., FURZE, J.M., ELLIS, S.A. & TAYLOR, G. Recognition of bovine respiratory syncytial virus proteins by bovine $CD8^+$ T lymphocytes, 220
GALVÃO DA SILVA, A.P., JACYSYN, J.F. & ABRAHAMSOHN, I.D.A. Resistant mice lacking interleukin-12 become susceptible to *Trypanosoma cruzi* infection but fail to mount a T helper type 2 response, 230
GAO, X.-M. *see* ZHANG, X.-Y.
GARSIDE, P. *see* ADAMS, C.L.
GARSIDE, P. *see* EATON, A.D.
GAVIT, K. *see* BIRMINGHAM, D.J.
GAZE, S.T. *see* ROCHA-VIEIRA, E.
GEORGE, T.C. *see* BILSBOROUGH, J.
GINSBURG, H. *see* DYUGOVSKAYA, L.
GODFREY, D.I. *see* CROWE, N.Y.
GODOWSKI, P.J. *see* OCHOA, M.-T.
GOENKA, A. *see* KAPASI, A.A.
GOETHE, R. *see* ZUR LAGE, S.
GOLLOB, K.J. *see* ROCHA-VIEIRA, E.
GONDOWIDJOJO, A. *see* SANDILANDS, G.P.
GORDON, J.R. *see* ZHANG, W.
GORDON, J. *see* EHLIN-HENRIKSSON, B.
GOTTSTEIN, B. *see* DAI, W.J.
GOULD, M.E.L. *see* FOSTER, S.

HAMMARSTRÖM, L. *see* ZHAO, Y.
HARRIS, J. *see* NORIMATSU, M.
HATZIRIS, Z. *see* OCHOA, M.-T.
HAUFFE, B. *see* SANDILANDS, G.P.
HAWKE, C.G., PAINTER, D.M., KIRWAN, P.D., VAN DRIEL, R.R. & BAXTER, A.G. Mycobacteria, an environmental enhancer of lupus nephritis in a mouse model of systemic lupus erythematosus, 70
HE, H. *see* KATHER, A.
HEWITT, C.R.A. *see* FOSTER, S.
HIKITA, I. *see* YOSHIOKA, T.
HIRAIDE, H. *see* TAKAYAMA, E.
HIRASAWA, T. *see* YOSHIOKA, T.
HIRSH, M. *see* DYUGOVSKAYA, L.
HORIKAWA, T. *see* YOSHIOKA, T.
HOU, R. *see* FLEURIDOR, R.
HOWARD, C.J. *see* NORIMATSU, M.
HOWELL, K. *see* RIGGS, J.
HU, H.-M. *see* WINTER, H.
HUDRISIER, D., FEAU, S., BONNET, V., ROMAGNOLI, P. & VAN MEERWIJK, J.P.M. *In vivo* maintenance of T-lymphocyte unresponsiveness induced by thymic medullary epithelium requires antigen presentation by radioresistant cells, 24
HULEATT, J.W., CRESSWELL, J., BOTTOMLY, K. & CRISPE, I.N. $P27^{kip1}$ regulates the cell cycle arrest and survival of activated T lymphocytes in response to interleukin-2 withdrawal, 493
HUNTZICKER, E. *see* WINTER, H.
HURWITZ, J.L. *see* SEALY, R.
HUYNH, N.T., FFRENCH, R.A., BOADLE, R.A. & MANOLIOS, N. Transmembrane T-cell receptor peptides inhibit B- and natural killer-cell function, 458

ICHIKAWA, M., SUGITA, M., TAKAHASHI, M., SATOMI, M., TAKESHITA, T., ARAKI, T. & TAKAHASHI, H. Breast milk macrophages spontaneously produce granulocyte–macrophage colony-stimulating factor and differentiate into dendritic cells in the presence of exogenous interleukin-4 alone, 189
IKEDA, M., YOSHIKAWA, H., LIU, J., NAKAJIMA, Y., AKAHANE, Y. & TASAKA, K. Apoptosis-inducing protein derived from hepatocyte selectively induces apoptosis in lymphocytes, 116
ISLANDER, U. *see* ERLANDSSON, M.C.
ITO, T. *see* TAJIMA, K.
IWABUCHI, C. *see* KIKUCHI, K.
IWABUCHI, K. *see* KIKUCHI, K.

JACKSON, A.M. *see* CHEADLE, E.J.
JACYSYN, J.F. *see* GALVÃO DA SILVA, A.P.
JAMES MILNER-WHITE, E. *see* ADAMS, C.L.
JARAMILLO, M. *see* BLANCHETTE, J.
JONSSON, C.A. *see* ERLANDSSON, M.C.
JUNGI, T. *see* DAI, W.J.
JUURLINK, B. *see* ZHANG, W.

KAMENCIC, H. *see* ZHANG, W.
KANAMORI, S. *see* SUZUKI, K.
KAPASI, A.A., PATEL, G., GOENKA, A., NAHAR, N., MODI, N., BHASKARAN, M., REDDY, K., FRANKI, N., PATEL, J. & SINGHAL, P. C. Ethanol promotes T cell apoptosis through the mitochondrial pathway, 313
KARLBERG, P. *see* SUNDSTRÖM, M.
KARRAS, E., CARAYANNIOTIS, G. & LYMBERI, P. Induction of murine thyroiditis by a non dominant E^k-restricted peptide of human thyroglobulin, 556
KASRAN, A. *see* ARREDOUANI, M.
KATHER, A., CHANTAKRU, S., HE, H., MINHAS, K., FOSTER, R., MARKERT, U.R., PFEFFER, K. & CROY, B.A. Neither lymphotoxin α nor lymphotoxin β receptor expression is required for biogenesis of lymphoid aggregates or differentiation of natural killer cells in the pregnant mouse uterus, 338
KAWANA, S. *see* SUZUKI, K.
KEEN, D.L. *see* SKINNER, M.A.
KESSLER, H. *see* FLEURIDOR, R.
KIEFER-BIASIZZO, H. *see* LAGRANDERIE, M.
KIKUCHI, K., YANAGAWA, Y., ARANAMI, T., IWABUCHI, C., IWABUCHI, K. & ONOÉ, K. Tumour necrosis factor-α but not lipopolysaccharide enhances preference of murine dendritic cells for Th2 differentiation, 42
KIRWAN, P.D. *see* HAWKE, C.G.
KLEIN, G. *see* EHLIN-HENRIKSSON, B.
KLOSTERMANN, B. *see* BELLINGHAUSEN, I.
KNOP, J. *see* BELLINGHAUSEN, I.
KOHLMEIER, J.E., RUMSEY, L.M., CHAN, M.A. & BENEDICT, S.H. The outcome of T-cell costimulation through intercellular adhesion molecule-1 differs from costimulation through leucocyte function-associated antigen-1, 152
KOIKE, Y. *see* TAKAYAMA, E.
KONISHI, M. *see* TAKAYAMA, E.
KUSHNER, I. *see* AGRAWAL, A.

LAGRANDERIE, M., NAHORI, M.-A., BALAZUC, A.-M., KIEFER-BIASIZZO, H., LAPA E SILVA J.-R., MILON, G., MARCHAL, G. & VARGAFTIG, B.B. Dendritic cells recruited to the lung shortly after intranasal delivery of *Mycobacterium bovis* BCG drive the primary immune response towards a type 1 cytokine production, 352
LAHARIE, A.-M. *see* BERTHIER, R.
LANDAY, A. *see* FLEURIDOR, R.
LAPA E SILVA J.-R. *see* LAGRANDERIE, M.
LARSSON, R. *see* SVENSSON, L.
LASHLEY, D. *see* WINTER, H.
LEGASPI, A.J. *see* OCHOA, M.-T.
LEONE, B.E. *see* FERRERO, E.
LI, F. *see* ZHANG, W.
LIANG, G. *see* BIRMINGHAM, D.J.
LILLIEHÖÖK, B. *see* SVENSSON, L.
LIU, J. *see* IKEDA, M.
LIU, X.-G. *see* ZHANG, X.-Y.
LOUDON, E. *see* SANDILANDS, G.P.
LOWE, B. *see* WINTER, H.
LUBIN, F.D., SEGAL, M. & MCGEE, D.W. Regulation of epithelial cell cytokine responses by the $\alpha 3\beta 1$ integrin, 204
LYMBERI, P. *see* KARRAS, E.

MACLEOD, M.K.L. *see* ADAMS, C.L.
MAJIMA, T. *see* TAKAYAMA, E.
MANCARDI, S., VECILE, E., DUSETTI, N., CALVO, E., STANTA, G., BURRONE, O.R. & DOBRINA, A. Evidence of CXC, CC and C chemokine production by lymphatic endothelial cells, 523
MANOLIOS, N. *see* HUYNH, N.T.
MARCHAL, G. *see* LAGRANDERIE, M.
MARCHE, P.N. *see* BERTHIER, R.
MARKERT, U.R. *see* KATHER, A.
MARSH, A.G. *see* SANDILANDS, G.P.
MARTINON-EGO, C. *see* BERTHIER, R.
MATECHIN, B. *see* RIGGS, J.
MATLACK, R. *see* RIGGS, J.
MATSUTANI, T. *see* YOSHIOKA, T.
MATTHIJS, P. *see* ARREDOUANI, M.
MCGEE, D.W. *see* LUBIN, F.D.
METCALFE, D.D. *see* SUNDSTRÖM, M.
MILON, G. *see* LAGRANDERIE, M.
MINHAS, K. *see* KATHER, A.
MIYAJI, M. *see* TAJIMA, K.
MODI, N. *see* KAPASI, A.A.
MODLIN, R.L. *see* OCHOA, M.-T.
MORAN, A.P. *see* ORREN, A.
MORGAN, B.P. *see* ORREN, A.
MOSER, B. *see* FERRERO, E.
MUNGUL, A. *see* CORREA, I.

NAGARAJA, H.N. *see* BIRMINGHAM, D.J.
NAHAR, N. *see* KAPASI, A.A.
NAHORI, M.-A. *see* LAGRANDERIE, M.
NAKAJIMA, Y. *see* IKEDA, M.
NELSON, C. *see* PARHAR, K.

NIEDERER, E. *see* TRAUTMANN, A.
NILSSON, G. *see* SUNDSTRÖM, M.
NILSSON, K. *see* SUNDSTRÖM, M.
NORIMATSU, M., HARRIS, J., CHANCE, V., DOUGAN, G., HOWARD, C.J. & VILLARREAL-RAMOS, B. Differential response of bovine monocyte-derived macrophages and dendritic cells to infection with *Salmonella typhimurium* in a low-dose model *in vitro*, 55
NORMENT, A. *see* BILSBOROUGH, J.

O'HARA, A.M. *see* ORREN, A.
OCHOA, M.-T., LEGASPI, A.J., HATZIRIS, Z., GODOWSKI, P.J., MODLIN, R.L. & SIELING, P.A. Distribution of Toll-like receptor 1 and Toll-like receptor 2 in human lymphoid tissue, 10
OHKAWA, T. *see* TAKAYAMA, E.
OHLSSON, C. *see* ERLANDSSON, M.C.
OLIVIER, M. *see* BLANCHETTE, J.
ONOÉ, K. *see* KIKUCHI, K.
ORREN, A., O'HARA, A.M., MORGAN, B.P., MORAN, A.P. & WÜRZNER, R. An abnormal but functionally active complement component C9 protein found in an Irish family with subtotal C9 deficiency, 384
OSTERHOLZER, J.J. *see* WINTER, H.

PAINTER, D.M. *see* HAWKE, C.G.
PARDI, R. *see* FERRERO, E.
PARHAR, K., RAY, A., STEINBRECHER, U., NELSON, C. & SALH, B. The p38 mitogen-activated protein kinase regulates interleukin-1β-induced IL-8 expression via an effect on the IL-8 promoter in intestinal epithelial cells, 502
PARK, C.-S. *see* CHOI, E.N.
PATEL, G. *see* KAPASI, A.A.
PATEL, J. *see* KAPASI, A.A.
PENNELLO, A. *see* RIGGS, J.
PFEFFER, K. *see* KATHER, A.
PIALI, L. *see* FERRERO, E.
PLUNKETT, T. *see* CORREA, I.
POEHLEIN, C.H. *see* WINTER, H.
POLLOCK, K.G.J., CONACHER, M., WEI, X.-Q., ALEXANDER, J. & BREWER, J.M. Interleukin-18 plays a role in both the alum-induced T helper 2 response and the T helper 1 response induced by alum-adsorbed interleukin-12, 137
PRITCHARD, N.R. & SMITH, K.G.C. B cell inhibitory receptors and autoimmunity, 263
PRZYBYLSKI, G.K., WANZECK, J., VERSCHUREN, M.C.M., VAN DONGEN, J.J.M., SERKE, S. & SCHMIDT, C.A. Identification of a new cluster of T-cell receptor delta recombining elements, 16

RÜCKERT, B. *see* TRAUTMANN, A.
RAMSAY, A.J. *see* SKINNER, M.A.
RANASINGHE, C. *see* SKINNER, M.A.
RAY, A. *see* PARHAR, K.
REDDY, K. *see* KAPASI, A.A.
RIGGS, J., HOWELL, K., MATECHIN, B., MATLACK, R., PENNELLO, A. & CHIASSON, R. X-chromosome-linked immune-deficient mice have B-1b cells, 440
RIKIISHI, H. *see* SUZUKI, M.
RIZZITELLI, A. *see* BERTHIER, R.
ROCHA-VIEIRA, E., FERREIRA, E., VIANNA, P., DE FARIA, D.R., GAZE, S.T., DUTRA, W.O. & GOLLOB, K.J. Histopathological outcome of *Leishmania major*-infected BALB/c mice is improved by oral treatment with N-acetyl-L-cysteine, 401
ROCK, M.T. & CROWE, J.E., JR. Identification of a novel human leucocyte antigen-A*01-restricted cytotoxic T-lymphocyte epitope in the respiratory syncytial virus fusion protein, 474
RODIE, M.E. *see* SANDILANDS, G.P.
ROMAGNOLI, P. *see* HUDRISIER, D.
RUGARLI, C. *see* FERRERO, E.
RUMSEY, L.M. *see* KOHLMEIER, J.E.

SALH, B. *see* PARHAR, K.
SALOGA, J. *see* BELLINGHAUSEN, I.
SAMOLS, D. *see* AGRAWAL, A.
SANDILANDS, G.P., HAUFFE, B., LOUDON, E., MARSH, A.G., GONDOWIDJOJO, A., CAMPBELL, C., FERRIER, R.K. & RODIE, M.E. Detection of cytoplasmic CD antigens within normal human peripheral blood leucocytes, 329
SANTONI, A. *see* DI ROSA, F.
SATO, K. *see* SUZUKI, M.
SATOMI, M. *see* ICHIKAWA, M.
SCHMID-GRENDELMEIER, P. *see* TRAUTMANN, A.
SCHMIDT, C.A. *see* PRZYBYLSKI, G.K.
SCHMITT, H.C. *see* BIRMINGHAM, D.J.
SEALY, R., SURMAN, S., HURWITZ, J.L. & COLECLOUGH, C. Antibody response to influenza infection of mice: different patterns for glycoprotein and nucleocapsid antigens, 431
SEGAL, M. *see* LUBIN, F.D.
SEKI, S. *see* TAKAYAMA, E.
SELBY, P.J. *see* CHEADLE, E.J.
SERKE, S. *see* PRZYBYLSKI, G.K.
SHINOHARA, F. *see* SUZUKI, M.
SHINOMIYA, N. *see* TAKAYAMA, E.
SIELING, P.A. *see* OCHOA, M.-T.
SINGHAL, P.C. *see* KAPASI, A.A.
SKINNER, M.A., RAMSAY, A.J., BUCHAN, G.S., KEEN, D.L., RANASINGHE, C., SLOBBE, L., COLLINS, D.M., DE LISLE, G.W. & BUDDLE, B.M. A DNA prime-live vaccine boost strategy in mice can augment IFN-γ responses to mycobacterial antigens but does not increase the protective efficacy of two attenuated strains of *Mycobacterium bovis* against bovine tuberculosis, 548
SLOBBE, L. *see* SKINNER, M.A.
SMITH, K.G.C. *see* PRITCHARD, N.R.
STANTA, G. *see* MANCARDI, S.
STEINBRECHER, U. *see* PARHAR, K.
STETTLER, M. *see* DAI, W.J.
STEVENS, E. *see* ARREDOUANI, M.
STOTT, D.I. *see* ADAMS, C.L.
SUGITA, M. *see* ICHIKAWA, M.
SUNDSTRÖM, M., VLIAGOFTIS, H., KARLBERG, P., BUTTERFIELD, J.H., NILSSON, K., METCALFE, D.D. & NILSSON, G. Functional and phenotypic studies of two variants of a human mast cell line with a distinct set of mutations in the *c-kit* proto-oncogene, 89
SURMAN, S. *see* SEALY, R.
SUZUKI, K., KANAMORI, S., TAKADA, K. & KAWANA, S. Divergence of contact hypersensitivity *in vivo* compared with hapten-specific lymphocyte proliferation and interferon-γ production *in vitro* following ultraviolet B irradiation: the possibility that UVB does not affect the sensitizing phase of contact hypersensitivity, 570
SUZUKI, M., SHINOHARA, F., SATO, K., TANIGUCHI, T., TAKADA, H. & RIKIISHI, H. Interleukin-1β converting enzyme subfamily inhibitors prevent induction of CD86 molecules by butyrate through a CREB-dependent mechanism in HL60 cells, 375
SUZUKI, R. *see* YOSHIOKA, T.
SVENSSON, L., LILLIEHÖÖK, B., LARSSON, R. & BUCHT, A. γδ T cells contribute to the systemic immunoglobulin E response and local B-cell reactivity in allergic eosinophilic airway inflammation, 98

TADAKUMA, T. *see* TAKAYAMA, E.
TAJIMA, K., AMAKAWA, R., ITO, T., MIYAJI, M., TAKEBAYASHI, M. & FUKUHARA, S. Immunomodulatory effects of cyclosporin A on human peripheral blood dendritic cell subsets, 321
TAKADA, H. *see* SUZUKI, M.
TAKADA, K. *see* SUZUKI, K.
TAKAHASHI, H. *see* ICHIKAWA, M.
TAKAHASHI, M. *see* ICHIKAWA, M.
TAKAYAMA, E., KOIKE, Y., OHKAWA, T., MAJIMA, T., FUKASAWA, M., SHINOMIYA, N., YAMAGUCHI, T., KONISHI, M., HIRAIDE, H., TADAKUMA, T. & SEKI, S. Functional and Vβ repertoire characterization of human $CD8^+$ T-cell subsets with natural killer cell markers, $CD56^+$ $CD57^-$ T cells, $CD56^+$ $CD57^+$ T cells and $CD56^-$ $CD57^+$ T cells, 211
TAKEBAYASHI, M. *see* TAJIMA, K.
TAKESHITA, T. *see* ICHIKAWA, M.
TANIGUCHI, T. *see* SUZUKI, M.
TASAKA, K. *see* IKEDA, M.
TAYLOR–PAPADIMITRIOU, J. *see* CORREA, I.
TAYLOR, G. *see* GADDUM, R.M.
TOYOSAKI-MAEDA, T. *see* YOSHIOKA, T.
TRAUTMANN, A., RÜCKERT, B., SCHMID-GRENDELMEIER, P., NIEDERER, E., BRÖCKER, E.-B., BLASER, K. & AKDIS, C.A. Human CD8 T cells of the peripheral blood contain a low CD8 expressing cytotoxic/effector subpopulation, 305

UGUCCIONI, M. *see* FERRERO, E.
URBA, W.J. *see* WINTER, H.

VALENTIN-WEIGAND, P. *see* ZUR LAGE, S.
VAN DONGEN, J.J.M. *see* PRZYBYLSKI, G.K.
VAN DRIEL, R.R. *see* HAWKE, C.G.
VAN HOEYVELD, E. *see* ARREDOUANI, M.
VAN MEERWIJK, J.P.M. *see* HUDRISIER, D.
VARGAFTIG, B.B. *see* LAGRANDERIE, M.
VECILE, E. *see* MANCARDI, S.
VERSCHUREN, M.C.M. *see* PRZYBYLSKI, G.K.
VETTORETTO, K. *see* FERRERO, E.
VIANNA, P. *see* ROCHA-VIEIRA, E.
VILLARREAL-RAMOS, B. *see* NORIMATSU, M.
VINEY, J.L. *see* BILSBOROUGH, J.
VLAD, A. *see* CORREA, I.
VLIAGOFTIS, H. *see* SUNDSTRÖM, M.

WÜRZNER, R. *see* ORREN, A.
WALDVOGEL, A. *see* DAI, W.J.
WANG, W. *see* ZHANG, X.-Y.
WANG, W.-C. *see* ZHANG, X.-Y.
WANZECK, J. *see* PRZYBYLSKI, G.K.

WEI, X.-Q. *see* POLLOCK, K.G.J.
WEISS, S. *see* ZUR LAGE, S.
WILSON, B. *see* FLEURIDOR, R.
WINTER, H., HU, H.-M., POEHLEIN, C.H., HUNTZICKER, E., OSTERHOLZER, J.J., BASHY, J., LASHLEY, D., LOWE, B., YAMADA, J., ALVORD, G., URBA, W.J. & FOX, B.A. Tumour-induced polarization of tumour vaccine-draining lymph node T cells to a type 1 cytokine profile predicts inherent strong immunogenicity of the tumour and correlates with therapeutic efficacy in adoptive transfer studies, 409

XIANG, J. *see* ZHANG, W.
XU, D. *see* EATON, A.D.

YAMADA, J. *see* WINTER, H.
YAMAGUCHI, T. *see* TAKAYAMA, E.
YANAGAWA, Y. *see* KIKUCHI, K.
YOSHIDA, R. *see* YOSHIOKA, T.
YOSHIKAWA, H. *see* IKEDA, M.
YOSHIOKA, T., HIKITA, I., MATSUTANI, T., YOSHIDA, R., ASAKAWA, M., TOYOSAKI-MAEDA, T., HIRASAWA, T., SUZUKI, R., ARIMURA, A. & HORIKAWA, T. DS–*Nh* as an experimental model of atopic dermatitis induced by *Staphylococcus aureus* producing staphylococcal enterotoxin C, 562
ZACCONE, P., FEHÉRVÁRI, Z. & COOKE, A. Tumour necrosis factor-α is a fundamental cytokine in autoimmune thyroid disease induced by thyroglobulin and lipopolysaccharide in interleukin-12 p40 deficient C57BL/6 mice, 50
ZHANG, W., CHEN, Z., LI, F., KAMENCIC, H., JUURLINK, B., GORDON, J.R., & XIANG, J. Tumour necrosis factor-α (TNF-α) transgene-expressing dendritic cells (DCs) undergo augmented cellular maturation and induce more robust T-cell activation and anti-tumour immunity than DCs generated in recombinant TNF-α, 177
ZHANG, X.-Y., LIU, X.-G., WANG, W., WANG, W.-C. & GAO, X.-M. Anti-T-cell humoral and cellular responses in healthy BALB/c mice following immunization with ovalbumin or ovalbumin-specific T cells, 465
ZHAO, Y. & HAMMARSTRÖM, L. Cloning of the complete rat immunoglobulin δ gene: evolutionary implications, 288
ZUR LAGE, S., GOETHE, R., DARJI, A., VALENTIN-WEIGAND, P. & WEISS, S. Activation of macrophages and interference with $CD4^+$ T-cell stimulation by *Mycobacterium avium* subspecies *paratuberculosis* and *Mycobacterium avium* subspecies *avium*, 62

Subject index

α3β1 integrin:
  regulation of epithelial cell cytokines, 204
Airway inflammation:
  role of γδ T Cells, 98
Alum:
  IL-18, 137
  Th2 response, 137
Animal studies, 431
Antibody responses, 431
Antigen presenting cells (APC):
  pulsed with cryptococcal capsular polysaccharide, 158
  vaccination, 158
Apoptosis
  lymphocyte, 116
  induction by proteins, 116
  liver protein, 116
Atopic dermatitis:
  human, 562
  Streptococcus aureus infection, 562
Autoimmunity:
  role of B-cell inhibitory receptors, 263

B cell:
  EBV infection, 427
  memory, 427
  recirculation, 427
  B cells, 431, 458
  inhibitory receptors, 263
  role in autoimmunity, 263
  murine, 274
  somatic hypermutation, 274
  B-1b subsets, 440
  phenotype, 440
  X-chromosome-linked immune-deficient (XID) mice, 440
B-cell function:
  murine, 346
  role of estrogen, 346

Caspase inhibitors:
  prevention of CD86 induction, 375
CD antigens:
  flow cytometry, 329
  human peripheral blood, 329
  neutrophils, 329
CD8 cells:
  cytotoxic/effector subpopulation, 305
  human, 305
  T-cell receptor profile, 305
CD8$^+$ T cells:
  bovine, 220
  specific to RSV, 220
CD40:
  extracellular domain, 452
  role of apoptosis, 452
  signalling pathways, 452
CD86 regulation:
  by caspase inhibitors, 375
  NF-κB binding activity, 375
Cell cycle arrest:
  chemokines, 502
  role of IL-2
  T cells, 493
  Chemokines, 523
CMV:
  γδ T-cell response, 129
Complement:
  C9, 384
  human, 384
  genetic defects, 384
Complement:
  SLE, 531
  type 1 complement receptor, 531
Contact hypersensitivity:
  hapten, 570
  UVB irradiation, 570
Costimulation:
  comparison between ICAM-1 and LFA-1, 152
  via ICAM-1, 152
Costimulatory molecules:
  role in immunity to Cryptococcus, 158

CR1 polymorphism:
  effect on C4b binding, 531
C-reactive protein:
  gene regulation, 539
  NF-κB, 539
CTL response:
  human, 474
  memory, 474
Cyclosporin (CsA):
  effect on human DCs, 321
  immunomodulation, 321
Cytokines:
  epithelial cells, 204
  regulation by integrin, 204

Dedritic cells (DC):
  activation of autologous T cells, 79
  anti-tumour activity, 177
  BCG infected, 79
  bovine, 55
  differentiation, 189
  endocytosis activity, 321
  human, 167
  human, 321
  IL-12p70 production, 391
  IL-13 production, 167
  immunosuppression by CsA, 321
  intestinal, 481
  lung, 352
  maturation, 42
  mucosal, 481
  protein allergens, 167
  recruitment, 352
  role of TNF in DC maturation, 42
  S. typhimurium infection, 55
  Th1 response, 352
DNA vaccines:
  bovine, 548
  IFNγ responses, 548
  mycobcteria, 548

EBV:
  B-cell susceptibility, 427
  memory, 427
  Endothelia, 523
Eosinophils:
  IL-5, 245
  PKC, 245
  recruitment, 245
  signalling pathways, 245
Eotaxin:
  regulation of eosinophil recruitment, 245
Estrogen:
  murine, 346
  role in B-cell lymphopoiesis, 346
Ethanol:
  effect on T-cell survival, 313
Experimental autoimmune thyroiditis (EAT):
  IL-12 p40 deficient mice, 50
  induction, 50
  role of TNF, 50

Flow cytometry:
  CD antigen identification, 329
  human, 329

γδ T cells:
  allergic airway inflammation, 98
  characterization, 129
  chemokines, 365
  NK receptors expression, 129
  rat, 129
  recruitment infection, 365
  response to CMV, 129
  systemic IgE response, 98
Genomic organization:
  evolution, 288
  immunoglobulin D (IgD), 288
Germinal centres (GCs):
  B-cell repertoire development, 274

Glycoproteins, 431

Haptoglobin:
effect on Th cells, 144
promotes Th1 cellular response, 144
Hepatocytes
production of apoptosis-inducing protein, 116
activation-induced cell death (AICD), 116
HIV infection:
immunoregulatory cells, 1
NKT cells target, 1
of NKT cells, 3
HLA-restricted CTL epitopes:
RSV, 474

ICAM-1:
costimulation, 152
IFNγ elispot:
RSV epitopes, 474
IgE response:
role of γδ T cells, 98
IL-4:
role in DC differentiation, 189
IL-12 production:
from murine DCs, 391
inhibited by fibroblasts, 391
knockout mice, 230
prevents oral tolerance induction, 196
role in resistance to *Trypanosoma cruzi* infection, 230
IL-18:
oral tolerance induction prevents, 196
Immunoglobulin δ gene:
cloning, 288
rat, 288
Immunomodulation:
by cyclosporin A (CsA), 321
dendritic cells, 321
Immunosuppression
apoptosis, 116
Inducible nitric oxide synthase (iNOS):
Echinococcus multilocularis infection, 238
knockout mice, 238
Influenza virus, 431
Intestinal epithelial cells:
chemokines, 502
cytokines, 502
signalling, 502

Leishmania major infection:
cytokines, 401
histopathology, 401
oral treatment, 401
treatment with N-acetyl-L-cysteine (NAC), 401
Lung:
BCG, 352
recruitment of DCs, 352
Lymphatic endothelial cells, 523
Lymphotoxin:
NK cell differentiation, 338
receptor expression, 338

Macrophages:
activation by mycobacterium, 62
bovine, 55
breast milk, 189
costimulation, 62
differentiation to DC, 189
granulocyte-macrophage colony-stimulating factor (GM-CSF) production, 189
J774 cells, 62
nitric oxide production, 513
role of IFNγ, 513
Solmonella typhimurium infection, 55
Mast cells:
human, 89
mutations in c-kit proto-oncogene, 89
Memory T cells:
bone marrow, 296
migration, 296
MHC class II molecules:
alteration of DTH response, 158
MUC1 expression:
human T cells, 32
role in T cell migration, 32
Mycobacteria:
adjuvant properties, 79
infected DCs, 79
role i-lupus nephritis, 70
Mycobacterium avium:
macrophage activation, 62
Mycobacterium tuberculosis:
chemokines, 365
γδ T-cell recruitment, 365
macrophages, 365
MCP-1, 365

Natural killer T (NKT) cells:
CD1-d restriction, 3
HIV infection, 3
human, 3
NF-κB:
Nitric oxide (NO):
immunosuppression, 238
parasitic infection, 238
Nitric oxide (NO) production:
induced by IFNγ, 513
macrophages, 513
signalling pathway, 513
NK cell markers:
$CD8^+$ T cells, 211
human, 211
VβT cells, 211
NK cells:
differentiation, 338
lymphotoxin receptor expression, 338
peptide inhibitors, 458
TCR, 458
uterus, 338
NK receptors:
expression by rat γδ T cells, 129
NK T cells:
human, 1
targets for HIV infection, 1
NK-type T cells:
human, 211
phenotype, 211

Oncogene:
mutations in HMC-lines, 89
Oral tolerance:
role of cytokines, 196

Polymorphonuclear neutrophils (PMN):
CD expression, 329

Regulatory T cells:
mucosal, 481
Respiratory syncytial virus (RSV) infection:
bovine, 220
CTL epitopes, 474
effect of air contaminants, 109
fusion protein, 474
G protein, 220
novel epitopes, 474
specific $CD8^+$ T cells, 220
virus replication, 109

Salmonella typhimurium infection:
dendritic cells, 55
macrophage response, 55
Signalling:
MAP kinase, 513
macrophages, 513
nitric oxide, 513
SLE:
environmental factors, 70
mouse model, 70
role of mycobacteria, 70
STAT3:
C-reactive protein induction, 539
Streptococcus aureus:
enterotoxin, 562
induced dermatitis, 562
toxic shock syndrome, 562

T cells:
T cells, 458
growth factors, 493
role in tumour regression, 409
survival, 493
Th1/Th2 profile, 409

tumour immunogenicity, 409
T-cell apoptosis:
human, 313
promoted by ethanol, 313
T-cell epitope:
E^k-binding motifs, 556
murine thyroiditis, 556
T-cell migration:
homing, 296
role of the lymphoid environment, 296
T-cell receptor:
human $CD8^+$ T cells, 305
T-cell tolerance:
maintenance, 24
thymic epithelial cells, 24
thymus, 24
T-cell vaccination:
immunoregulation, 465
CTL activity, 465
TCR:
gene rearrangement, 16
human, 16
δ recombining elements, 16
Th2 cytokines:
allergy, 167
role of IL-13, 167
STAT 6 activation, 167
Th1/Th2 balance:
role of IL-18, 137
Th2 cytokines release
suppressed by haptoglobin, 144
Th2 response:
induced by alum, 137
role of IL-18, 137
Thymocyte:
apoptosis, 313
Bcl-2 expression, 313
human, 313
Thymus:
epithelial cells, 24
maintenance and tolerance, 24
Thyroiditis:
induction, 556
murine, 556
T-cell epitope, 556
TLRs:
dendritic cell expression, 10
expression in human lymphoid tissue, 10
macrophage expression, 10
TNF:
dendritic cell maturation, 42
experimental autoimmune thyroiditis (EAT), 50
murine, 50
Th2 differentiation, 42
TNF family
dendritic cell expression, 177
T-cell activation, 177
Trypanosoma cruzi infection:
in IL-12 knockout mice, 230
Th2 response, 230
Tuberculosis:
bovine, 548
DNA vaccines, 548
Tumour
dendritic cells, 177
role of TNFα, 177
Tumour immunology:
murine, 409
Th1/Th2 responses, 409
tumour regression, 409
vaccine, 409

Viral replication:
respiratory syncytial virus (RSV), 109